

hippocampal slices. *Brain Res* 309: 187-191, 1984

Pan WH, Cedres LB, Liu K, Dyer A, Schoenberger JA, Shekelle RB, Stamler R, Smith D, Collette B, Stamler J: Relationship of clinical diabetes and asymptomatic hyperglycemia to risk of coronary heart disease mortality in men and women. *Am J Epidemiol* 123: 504-516, 1986

Pekkonen E, Jousmäki V, Köönen M, Reinikainen K, Partanen J: Auditory sensory memory impairment in Alzheimer's disease: an event-related potential study. *NeuroReport* 5: 2537-2540, 1994

Perlmutter LC, Hakami MK, Hodgson-Harrison C, Ginsberg J, Katz J, Singer DE, Nathan DM: Decreased cognitive function in aging non-insulin dependent diabetic patients. *Am J Med* 77: 1043-1048, 1984

Perlmutter LC, Tun P, Sizern N, McGlinchey RE, Nathan DM: Age and Diabetes Related Changes in Verbal Fluency. *Exp Aging Res* 13: 9-15, 1987

Perry JJ, Wannamethee SG, Walker MK, Thomson AG, Whincup PH, Shaper AG: Prospective study of risk factors for development of non-insulin-dependent diabetes mellitus in middle aged British men. *Br Med J* 310: 560-564, 1995

Pirttilä T, Järvenpää R, Laippala P, Frey H: Brain atrophy on computerized axial tomography scans: Interaction of age diabetes and general morbidity. *Gerontology* 38: 285-291, 1992

Pozzessere G, Rizzo PA, Valle E, Mollica MA, Meccia A, Morano S, DiMaurio U, Andreani D, Morocutti C: Early detection of neurological involvement in IDDM and NIDDM. *Diabetes Care* 11: 473-480, 1988

Pyörälä K, Laakso M, Uusitupa M: Diabetes and atherosclerosis: an epidemiological view. *Diab Metab Rev* Vol 3, No. 2: 464-524, 1987

Raichle ME, Herscovitch P, Mintun M, Martin WR, Powers W: Dynamic measurements in the study of higher cortical function in humans with positron emission tomography. *Ann Neurol* 15 (Suppl): S48, 1984

Razay G, Wilcock GK: Hyperinsulinaemia and Alzheimer's disease. *Age Ageing* 23: 396-399, 1994

Reaven GM: Banting lecture 1988: Role of insulin resistance in human disease. *Diabetes* 37: 1595-1606, 1988

Reitan RM: Validity of the Trail Making Test as an indicator of organic brain damage. *Percept Mot Skills* 8: 271-276, 1958

Richardson JT: Cognitive Function in Diabetes Mellitus. *Neurosci Biobehav Rev* 14: 385-388, 1990

Rogers RL, Meyer JS, McClintic K, Mortel KF: Reducing hypertriglyceridemia in elderly patients with cerebrovascular disease stabilizes or improves cognition and cerebral perfusion. *Angiology* 40: 260-269, 1989

Russell EW: A multiple scoring method for the assessment of complex memory functions. *J Cons Clin Psychol* 43: 800-809, 1975

Ryu N, Chin K: Decreased brain function in patients with non-insulin-dependent diabetes mellitus. *No to Shinkei* 47: 543-548, 1995

Saad MF, Kowler WC, Pettitt DJ, Nelson RG, Mott DM, Bennett PH: Sequential changes in serum insulin concentration during development of non-insulin-dependent diabetes. *Lancet* 1: 1356-1359, 1989

Sasaki A, Suzuki T, Horiuchi N: Development of diabetes in Japanese subjects with impaired glucose tolerance: a seven year follow-up study. *Diabetologia* 22: 154-157, 1982

Sauter A, Goldstein M, Engel J, Ueta K: Effect of insulin on central catecholamines. *Brain Res* 260: 330-333, 1983

Schranz AG: Abnormal glucose tolerance in the Maltese: a population-based longitudinal study of the natural history of NIDDM and IGT in Malta. *Diab Res Clin Pract* 7: 7-16, 1989

Shibata S, Lio SY, Ueki S, Oomura Y: Inhibitory action of insulin on suprachiasmatic nucleus neurons in rat hypothalamic slice preparation. *Physiol Behav* 36: 79-81, 1985

- Sinclair AJ, Allard I, Baye r A: Observations of diabetes care in lo ng-term institutional settings with measures of cognitive function and dependency. *Diabetes Care* 20: 778-784, 1997
- Skarfors ET, Lith ell HO, Seli nius KI, Åb erg H: Do an tihypertensive drugs p recipitate d iabetes in predisposed men? *Br Med J* 298: 1147-1152, 1989
- Soininen H, Puranen M, Helkala E-L, Laakso M, Riekkinen PJ: Diabetes mellitus and brain atrophy: A computed tomography study in an elderly population. *Neurobiol Aging* 13: 717-721, 1992
- Squire LR: Memory and the hippocampus: a sy nthesis of findings with rats, monkeys and humans. *Psychol Rev* 99: 195, 1992
- Squire LR and Knowlton BJ. Memory, Hippocampus, and Brain systems. In: Gazzaniga MS, Bizzi E, Black IB, Blakemoore C, Cosmides L, Kosslyn SM, LeDoux JE, Movshon JA, Pinker S, Posner MI, Rakic P, Sch acter DL, Tooby J, Tulving E. (eds). *The Cognitive Neurosciences. A Bra dford Book*, The MIT Press, Cambridge, Massachusetts, 825-838, 1995
- Stern MP, Rosenthal M, Haffner SM: A new concept of impaired glucose tolerance. *Arteriosclerosis* 5: 311-314, 1985
- Stern MP: Kelly West Lecture: primary prevention of type II diabetes mellitus. *Diabetes Care* 14: 399-410, 1991
- Stern MP: Diabetes and cardiovascular disease. The "common soil" hypothesis. *Diabetes* 44: 369-374, 1995
- Stolk RP, Bret eler MMB, Ot t A, Po ls HAP, Lamb erts SWJ, Gro bbee DE, Ho fman A: Insulin an d cognitive function in an elderly population. *Diabetes Care* 20: 792-795, 1997
- Stone WS, Wa lsher B, Go ld SD, Go ld PE: Sc opolamine- a nd mo rphine-induced i mpairment o f spontaneous a lternation p erformance in mi ce: rev ersal wit h g lucose an d wit h ch olinergic an d adrenergic agonists. *Behav Neurosci* 105: 264-272, 1991
- Strachan MWJ, Deary IJ, Ewing FME, Frier BM: Is type II diabetes associated with an increased risk of cognitive dysfunction? *Diabetes Care* 20: 438-445, 1997a
- Strachan MWJ , Fr ier BM, Dea ry IJ : Cog nitive assessment in d iabetes: th e ne ed for co nsensus. *Diabetic Med* 14: 421-422, 1997b
- Takeda M, Tachibana H, Sugita M, Hirayama H, Miyauchi M, Matsuoka A: Event-related potential in patients with diabetes mellitus. *Rinsho Byori* 40: 896-900, 1992
- Terry RD, Katzman R: Senile dementia of the Alzheimer type. *Ann Neurol* 14: 497-506, 1983
- Tun PA, Na tham DM, Pe rlmutter LC: Cog nitive and affective disorders in eld erly dia betics. *Cl in Geriatr Med* 6: 731-746, 1990
- Tun PA, Perlmutter L C, Ru sso P, Nath an DM: Memory self-assessment a nd p erformance i n aged diabetics and non-diabetics. *Exp Aging Res* 13: 151-157, 1987
- U'Ren RC, Riddle MC, Lezak MD, Bennington-Davis M: The mental efficiency of the elderly patients with type II diabetes mellitus. *J Am Geriatr Soc* 38: 505-510, 1990
- van Duijn CM: Epidemiology of the dementias: recent developments and new ap proaches. *J Neur ol Neurosurg Psychiatry* 60: 478-488, 1996
- Vitek MP, Bhattacharya K, Glendening JM, Stopa E, Vlassara H, Buckla R, et al.: Advanced glycation end products contribute to amyloidosis in Alzheimer's disease. *Proc Natl Acad Sci USA* 91: 4766-4770, 1994
- Warram J H, Mar tin BC, Kro lewski AS, Soe ldner JS, Kahn CR: Sl ow g lucose remo val rat e an d hyperinsulinemia precede the development of type II diabetes in the offspring of diabetic parents. *Ann Internl Med* 113: 909-915, 1990
- Wechsler D: Manual for the Wechsler adult intelligence scale. New York, Psychological Corporation, 1955
- Wenk GL: An hypothesis on the role of glucose in the mechanism of action of cognitive enhancers. *Psychopharmacology* 99: 431-438, 1989

- Wingard DL, Sinsheimer P, Barrett-Connor EL, McPhillips JB: Community-based study of prevalence of NIDDM in older adults. *Diabetes Care* 13: 3-8, 1990
- Winograd C, Jacobson D, Minkoff J: Blood glucose and insulin response in patients with senile dementia of the Alzheimer's type. *Biol Psychiatry* 30: 507-511, 1991
- World Health Organization: WHO study group on diabetes mellitus. Technical Report. Series 72.7. Geneva, World Health Organization, 1985
- Worrall G, Moulton N, Briffett E: Effect of type II diabetes mellitus on cognitive function. *J Fam Prac* 36: 639-643, 1993
- Worrall GJ, Chaulk PC, Moulton N: Cognitive function and glycosylated hemoglobin in older patients with type II diabetes. *J Diab Complic* 10: 320-324, 1996
- Wredling R, Levander S, Adamson U, Lins PE: Permanent neuropsychological impairment after recurrent episodes of severe hypoglycaemia in man. *Diabetologia* 33: 152-157, 1990
- Yesavage JA, Brink TL, Rose TL, Adey M: The Geriatric Depression Scale: Comparison with other self-report and psychiatric rating scales, in Crook T, Ferris S, Bartus R (eds). *Assessment in geriatric psychopharmacology*. Mark Powley Associates Inc, Connecticut, 153-167, 1983
- Ylikoski R, Ylikoski A, Erkinjuntti T, Suikava R, Raininko R, Tilvis R: White matter changes in healthy elderly persons correlate with attention and speed of mental processing. *Arch Neurol* 50: 818-824, 1993
- Yudkin JS, Alberti KGM, McLarty D, Swai AB: Impaired glucose tolerance. Is it a risk factor for diabetes or a diagnostic ragbag? *Br Med J* 301: 397-402, 1990
- Yoshitake T, Kiyohara Y, Kato I, Ohmura T, Iwamoto H, Nakayama K, Ohmori S, Nomiyama K, Kawano H, Ueda K, Sueishi K, Tsuneyoshi M, Fujishima M: Incidence and risk factors of vascular dementia and Alzheimer's disease in a defined elderly Japanese population: The Hisayama study. *Neurology* 45: 1161-1168, 1995
- You R, McNeill JJ, O'Malley HM, Davis SM, Donnan GA: Risk factors for lacunar infarction syndromes. *Neurology* 45: 1483-1487, 1995
- Zaslavsky LMA, Gross JL, Chaves ML, Machado R: Memory dysfunction and autonomic neuropathy in non-insulin-dependent (type 2) diabetic patients. *Diab Res Clin Pract* 30: 101-110, 1995
- Zola-Morgan S, Squire LR: Neuroanatomy of memory. *Annu Rev Neurosci* 16: 547-563, 1993